

INDEX MAPS.

T. 35N, R. 1W. 2nd Mer.

Meanders 324

	298		298		298		297		297		296	
301	6	324	5	318	4	314	3	310	2	305	1	296
	324		323		318		314		310		305	
300	7	323	8	318	9	314	10	309	11	304	12	296
	323		322		317		313		309		304	
300	18	322	17	317	16	313	15	308	14	304	13	295
	321		321		316		312		308		303	
300	19	321	20	316	21	312	22	308	23	303	24	295
	320		320		316		311		307		302	
299	30	319	29	315	28	311	27	307	26	302	25	295
	319		319		315		311		306		301	
299	31	319	32	315	33	310	34	306	35	301	36	294
	293		293		293		292		292		292	

T. 36N, R. 1W. 2nd Mer.

Meanders 365

	337		336		336		335		335		334	
339	6	340	5	344	4	349	3	354	2	359	1	334
	340		345		350		355		359		359	
339	7	340	8	345	9	350	10	355	11	360	12	334
	341		346		351		356		360		361-364	
338	18	341	17	346	16	351	15	356	14	361	13	333
	342		347		352		357		357-364		364	
338	19	342	20	347	21	352	22	357	23	363	24	333
	343		348		353		357		357-363		363	
337	30	343	29	348	28	353	27	357	26	362	25	333
	343		348		353		358		358-362		362	
337	31	344	32	349	33	354	34	358	35	361	36	332
	332		331		331		330		330		330	

The figures on the lines refer to the page.

Township 36 North Range 1 West 3rd New. (Ind. 2)

C. L. South Boundary. (Var. 5° 35' E.)
 West On the South side of sec. 36.
 6.00 Leave the mark
 14.00 Entered a Do,
 32.00 Leave the Do,
 36.78 To a Q. Oak 24 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 13 in. dia. bears N 38° E 28 lks. dist.,
 a Q. Oak 17 " " " N 33° W 36 " "
 a W. Oak 15 " " in the line
 52.00 To a Pine Creek 100 lks. wide in NW corner,
 57.00 " same very sluggish & meandering
 67.00 " Do, " " " "
 80.00 Set a post cor. to sec. 35 & 36 from wh.,
 a W. Oak 15 in. dia. bears N 57° 30' W 292 lks.,
 a Do, 18 " " " N 77° E 4.33.
 Upland rolling rolling barrens & thin soil
 & the timber is W & Q Oak &c.

West On the S. side of sec. 35
 21.50 To point of dry land from S
 22.74 " a Q. Oak 18 in. dia. in the line,
 34.50 " mark again
 40.00 Set the gr. sec. cor. post in trenching
 marsh where raised a mound
 66.80 To Left bank of Kankakee & set post
 where raised a mound
 80.00 Set a post cor. to sec. 34 & 35 (= mark
 in Kankakee river, mostly a shaking-
 in river inaccessable —

West On the S. side of sec. 34
 40.00 Set the gr. sec. cor. in River,

T. 36 N. R. 1 W. 2nd Mer. Ind.

C. L.

80.00

Set a post cor. to sec. 33 & 34 in river
Inaccessible, This line follows the river down
stream. The clear part of the channel winding
about, but no part of the line is accessible

West

42.52

On the S. side of sec 33,
Over River but post on Right bank cor. SW
where raised a mound

65.00

Leave mark on wet prairie

68.00

To a House 340 yds. S. of the line,

80.00

Set a post cor. to sec. 32 & 33 from which
a W. Oak 16 in. dia. bears N 89 $\frac{1}{2}$ W 35 lks dist
a Do. 12 " " " N 53 $\frac{1}{2}$ E 80 " "

Land from river to timber is level & wetish prairie
might be cultivated. Barrens level, good soil &
the timber is W. G. Oak & Hickory &c -
note. The wide place in the Frankates river
I am since informed is probably what is called
"Mud Lake." January 11th 1834.

West

1.50

On the S. side of Section 32
State Road from La Porte to Yellow river cor. S. S. E

13.22

To a W. Oak 15 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which
a Pin Oak 10 in. dia. bears N 77 $\frac{1}{2}$ E 73 lks dist,
a Do. 17 " " " N 30 $\frac{1}{2}$ W 119 " "

44.00

Entered a marsh

80.00

Set a post cor. to sec. 31 & 32 in marsh
water 1 foot deep. from which post
a Lamerac 12 in. dia. bears N 3 $\frac{1}{2}$ W 493 lks dist,
a Do. 12 " " " West 1187 " "
Top of marsh land level bearing good soil
& the timber is W. G. Oak & Hickory &c,

T. 36 N. R. 1 W. 2nd Mer. (Ind. 4.)

Co. L,
 West On the S. side of sec. 31,
 11.00 To a Lamerac swamp
 11.89 " " Lamerac 12 in. dia. in the line,
 17.18 Entered a pond
 28.00 Over the Do.
 29.00 Leave the Lamerac swamp & Enter marsh
 40.00 Set the gr. sec. cor. post from which
 a Lamerac 10 in. dia. bears at $89\frac{1}{2}^{\circ}$ E 11.25th m.
 & Raised a mound
 74.30 To the W. boundy. at 6.07.30^m & set post
 corner Towns 35 & 36 N. Ranges 1 & 2 W. in marsh
 where raised a mound. this mile all marsh &c.
 Var. $5^{\circ} 35'$ E. December 17th 1833. - Surveyed by
 Sibley & Clark Dep. Surveyors.

East Boundary. (Var. $5^{\circ} 45'$ E.)

North On the E. side of sec. 36.
 Corner in deep water, no bearings. no mound
 5.00 Leave pond & set post on E. side
 a W. Oak 24 in. dia. bears East 14th lks. dist &
 a Do. 30 " " " N 88° W 71 " "
 15.20 To a W. Oak 40 " " in the line,
 39.41 To a Stream 50 lks. wide cor. NW,
 40.00 Set the gr. sec. cor. post from which
 a Plum Bush 6 in. dia. bears at 5° W 14th lks. dist,
 & a Do. 4 " " " N $10\frac{1}{2}^{\circ}$ W 13th " "
 72.75 To a Hickory 15 in. dia. in the line,
 80.00 Set a post cor. to sec. 25 & 36 from which
 a W. Oak 10 in. dia. bears at 76° W 61 lks. dist &
 a B. Oak 14 " " " N 35° W 65 " "
 Land 3rd rate & the timber is Oak & Hickory
 open woods -

T. 36 N. R. 1 W. 2nd Mer. Ind.

C. L.
 North On the E. side of sec. 25
 16.09 To a W. Oak 28 in. dia. in the line,
 29.00 Entered a swamp prairie
 40.00 Set the gr. sec. cor. post in Do. from which
 a W. Oak 24 in. dia. bears N 70° W 1 1/4 M. dist.
 & a Do. 23 " " " N 55° W 124 " "
 45.00 Leave the prairie
 61.58 To a W. Oak 15 in. dia. in the line,
 77.00 Entered wet prairie
 80.00 Set a post cor. to sec. 24 & 25 from which
 a W. Oak 24 in. dia. bears S 12° W 318 M. dist. &
 a Do. 10 " " " S 10° W 341 " "
 May 11th 1829. (no description given.)

North On the E. side of section 24
 30.00 To a Grove of Oak timbered
 33.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post from which, no bearings
 But Raised a mound
 75.00 Leave the prairie
 80.00 Set a post cor. to sec. 13 & 24 from which
 a W. Oak 15 in. dia. bears S 63° - 3 M. dist.
 & a Do. 21 " " " N 5 1/2° W 63 " "
 Land all wet prairie

North On the E. side of sec. 13
 10.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post from which, no bearings
 But Raised a mound
 80.00 Set a post corner to sec. 12 & 13 from wh. no bearings
 But Raised a mound,
 no description,

T. 36 N. R. 1 W. 2nd, Men, Ind.?

- Co. S.
 North On the E. side of sec. 12,
 30.48 To Kankakee River & set post on S.W. side
 125 lks. wide & raised a mound on N.W.
 35.71 Over River & set post on N.E. side, where
 raised a mound —
 40.00 Set the gr. sec. cor. post. Raised a mound
 73.50 Entered a Lameran swamp
 80.00 Set a post cor. to sec. 1 & 12 from wh.
 a Lameran 6 in. dia. bears S 75° W 9 lks. dist,
 & a Do. 7 " " " S 80° W 14 " "
 Land is wet prairie & Lameran swamp

- North On the E. side of sec. 1
 7.05 To a Lameran 8 in. dia. in the river
 10.00 Leave Lameran swamp & enter prairie
 22.50 Leave prairie
 28.75 To a B. oak 30 in. dia. in the river,
 40.00 Set the gr. sec. cor. post from which
 a W. oak 18 in. dia. bears N 7° W 42 lks. dist,
 & a Do. 15 " " " N 4° W 26 " "
 57.18 To a W. oak 15 " " in the river
 58.50 Enter an S. prairie
 80.00 Set a post cor. to Towns, 36 & 37 N. R. 1 W.
 in prairie, water too deep to raise a mound
 Land wet. Timbered Oak. no N. G.
 May 18th 1829, Surveyed by
 David Willis. Dep. Sur.

Copy

- North Boundary. (Var. 5° 35' E)
 West On the S. side of sec. 36, T. 37 N. R. 1 W
 38.00 Leave mark on an island
 40.00 Set the gr. sec. cor. post from which
 a Hickory 16 in. dia. bears N 11½° E 51 lks. dist,

T. 36 N. R. 1 W. 2nd Mer. Ind.^a

C. L. a W. Oak 16 in dia. bears N 73 W 94 lbs dia,
 52.00 Enter a marsh
 80.00 Set a post cor. to sec. 35 & 36 in marsh
 water one foot deep & raised small mound
 Except island this mile is all a deep
 marsh - The E. 28 cor. inaccessible. This
 part was run by an offset from the 1/4 sec.
 cor. post south of Town, cor. -

West On the S. side of Sec. 35. T. 37 N. R. 1 W.
 40.00 Set the gr. sec. cor. post in marsh deep water
 where raised mound.
 49.00 To current of water cr. S.E. 25 lbs. wide,
 74.00 To an Island of Banyan
 77.00 Leave " Do. " & enter marsh again
 80.00 Set a post cor. to sec. 34 & 35 from which
 a W. Oak 8 in dia. bears N 88 1/2 E 356 lbs. dia,
 & a Red Oak 6 " " " N 89 W 407 " "
 Sound &c. similar. & some Lamerad on last 1/4

West On the S. side of Sec. 34. T. 37 N. R. 1 W
 3.50 Leave the marsh
 24.40 To a W. Oak 6 in dia. in the line,
 28.00 Enter a marsh
 33.50 Leave the Do. -
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 24 in dia. bears N 84 W 33 lbs dia,
 & a P. Oak 8 " " " N 52 1/2 E 20 " "
 43.00 Enter a Lamerad swamp
 47.50 Leave the " Do.
 57.41 To a W. Oak 10 in dia. in the line,
 63.00 Enter a Lamerad swamp
 66.26 To a Lamerad 7 in dia. in the line,
 Cor. -

T. 36 N. R. 1 W. 2nd New. Ind.

- 66.30 To a Brook 10 lbs. wide on South Staggish
 68.00 Leave the swamp
 80.00 Set a post cov. to sec. 33 & 34 from wh,
 a G. Oak 18 in. dia. bears N 47 E 72 lbs. dia.
 & a W. Oak 13 " " " N 52 W 33 " "
 Land level bare, thin soil & the timber
 is W. G. P. Oak & Hickory &c.

- West On the S. side of sec. 33 & 34 N. R. 1 W.
 32.41 To a Red Oak 18 in. dia. in the line,
 40.00 Set the gr. sec. cov. post from which
 a Hickory 14 in. dia. bears N 5 E 28 lbs. dia.
 & a G. Oak 17 " " " N 83 W 12 " "
 60.80 To a trail on. et.
 62.50 To a Spring mark
 77.70 " " " brook 15 lbs. wide on. S. E.
 within 20 chs. N. & 10 chs. S. E. is a stream large
 enough for mills & a good site, made by
 innumerable springs -
 80.00 Set a post cov. to sec. 32 & 33, from wh,
 an Aspen 14 in. dia. bears N 88 1/4 W 317 lbs.
 & a Lamerac 9 " " " N 27 1/2 E 308 lbs.
 Land is similar & good soil

- West On the S. side of sec. 32, & 34 N. R. 1 W
 3.00 Leave the mark
 17.50 To a wagon Road on. et.
 18.06 To a G. Oak 8 in. dia. in the line,
 40.00 Set the gr. sec. cov. post from which
 a G. Oak 12 in. dia. bears N 47 1/2 E 28 lbs. dia.
 & a Do. 13 " " " N 44 1/2 W 26 " "
 47.42 To a Hickory 9 " " in the line,
 64.53 " " Do. 8 " " " " "

T. 37 N. R. 1 W. 2nd Mer. Indiana,

6. 26

80.00 Set a post cor. to sec. 31 & 32 from which
 a G. Oak 18 in. dia. bears North 40th W. 18th
 & a W. Oak 16 " " " N 64th E 83 " "
 Land is high & rolling prairie. I well think?
 with W. & G. Oak & Hickory &c

West On the S. side of sec. 31 & 32 N. R. 1 W
 13.41 To a W. Oak 14 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 8 in. dia. bears N 34th E 84th W. dia.
 & a Do. 9 " " " N 66th W 50 " "
 60.68 To a G. Oak 16 " " in the line,
 74.11 To the W. boundary, at 6.00.26th, set post
 cor. to Towns 36 & 37 N. Range 1 & 2 W from wh.
 a W. Oak 12 in. dia. bears S 40th E 2th W. dia. &
 a Do. 13 " " " S 75th W 8 " "
 Land &c. is similar to last,
 (Var. 5° 35' E) December 18th 1833. -
 Surveyed by. Clark & Sibley, Dep. Sur.

West Boundary, (Var. 6° E.)
 North On the E. side of sec. 36 & 36 N. R. 2 W
 40.00 Set the gr. sec. cor. post in marsh
 where raised a mound -
 80.00 Set a post cor. to sec. 25 & 36 in do,
 where raised a mound
 This mile is all marsh & mostly
 covered with one foot of water,

North On the E. side of sec. 35 & 36 N. R. 2 W
 16.00 To a point of timbered land from E,
 23.50 Leave the same
 37.40 Pin. Oak 16 in. & leave marsh
 40.00 Set the gr. sec. cor. post from which

T. 36 N. R. 1 W. 3rd Mer. Ind.^a

- 61.50 a P. Oak 15 in. dia. bears N 25° W 34 3/4 ft.
 & a Do. 16 " " " S 27° W 21 3/4 "
- 59.50 To a state road from La Porte to Yellow River.
- 64.30 " a Hickory 11 in. dia. in line, (= c. E. & E)
- 65.50 Entered a marsh
- 80.00 Set a post cor. to sec. 24 & 25 from which
 a Red Oak 16 in. dia. bears S 71° W 38 7/8 ft. dia.
 & a Do. 28 " " " N 78° W 39 1/4 " "
- Land here being, good soil W. Oak & Hickory,

- North On the E. side of sec. 24 T. 36 N. R. 1 W.
- 20.00 Leave the marsh or wet prairie, mostly E.
- 22.60 To a G. Oak 18 in. dia. in the line,
- 40.00 Set the gr. sec. cor. post from which
 a Hickory 14 in. dia. bears S 64° W 97 ft. dia.
 & a Do. 15 " " " N 40° W 50 " "
- 50.50 To a Marsh or wet prairie,
- 72.50 Leave the Do. & Do.
- 80.00 Set a post cor. to sec. 13 & 24 from which
 a G. Oak 14 in. dia. bears N 65° W 36 ft. dia.
 & a Do. 23 " " " S 45° W 11 " "
- Land &c is same as on last mile,

- North On the E. side of sec. 13 T. 36 N. R. 2 W.
- 16.42 To a Hickory 7 in. dia. in the line,
- 33.00 Entered a marsh
- 33.50 To a Brook 5 ft. wide c. E
- 40.00 Set a gr. sec. cor. post from which
 a W. Oak 14 in. dia. bears N 4° E 41 1/2 ft. dia.
 & a G. Oak 16 " " " N 7° W 51 1/2 " "
- 43.00 Leave the marsh
- 71.00 To a marsh
- 80.00 Set a post cor. to sec. 12 & 13,

T. 36 N. R. 1 W. 2nd. New. Ind.^a

C. L. a Red Oak 14 mi. dia. bears N 94° W 785 ft.,
 & a G. Oak 18 " " " N 21° E 320 " dia.
 Land &c. same as last very thick timber.
 Mostly Br. Oak & Hickory &c. —

North On the E. side of sec. 12 T. 36 N. R. 2 W

3.00 Leave the mark

7.50 To an Indian trail cor. NW & enter
 wet prairie bottom springy,

31.00 To little Kankakee river 30 ft. wide cor. S.E. deep

40.00 Set the gr. sec. cor. post from which
 a G. Oak 14 mi. dia. bears N 3° W 85 ft. dia.,
 & a W. Oak 7 " " " N 54° W 170 " "

40.50 Leave the mark

79.58 To a W. Oak 20 mi. dia. in the line,

80.00 Set a post cor. to sec. 1 & 12, from which,
 a W. Oak 16 mi. dia. bears N 38° W 28 ft. dia.,
 & a Do. 14 " " " N 19° W 42 " "

My land level bearing good soil & well
 timbered with Oak & Hickory &c. —

North On the E. side of sec. 12 T. 36 N. R. 2 W

14.90 To a W. Oak 11 mi. dia. in the line,

27.00 " " Pine swamp

36.00 Leave " Do. small stunted Pines &c.

40.00 Set the gr. sec. cor. post from which
 a W. Oak 11 mi. dia. bears S 68° 3/4° W 76 ft.,
 & a Do. 18 " " " N 60° 1/2° W 54 " dia.,

68.38 To a W. Oak 12 " " in the line,

80.26 To the town corner. T. 36 & 37 N. R. 1 & 2 W,
 Land 2 1/2, same, ex. swamp, N 1/2 corner but
 hilly. (Var. 6° E.) Dec. 17th 1833.

Surveyed by Sibley & Clark, D. Sur.^s

T. 36 N. R. 1 W. 2nd Mer. Md.

C. L. Subdivisions,
South Between sections 5 & 6.

- 7.86 To a Oak 10 in. dia. in the line,
 24.11 " " Do. 22 " " " "
 40.00 Set the gr. sur. cor. post from which
 a G. Oak 22 in. dia. bears N. 30 W. 100 ft.,
 & a G. Oak 18 " " " S. 5 " "
 57.00 To a Hickory 18 " " in the line,
 74.50 " " W. Oak 8 " " " "
 80.00 Set a post cor. to sur. 5, 6, 7 & 8 from wh.
 a G. Oak 18 in. dia. bears N. 26 E. 84 ft. dist.,
 & a W. Oak 16 " " " S. 26 W. 162 " "
 Land rolling sandy & 3rd rate. G. Oak W. Oak
 Hickory, Red root & Brees. —

West On Random between sur. 6 & 7

- 73.65 To the W. boundary, 16 ft. S. of post,
 Land is rolling sandy & third rate & the
 timber is G. & W. Oak, Hickory, Red Root & Brees.

East Correct the line between sur. 6 & 7,

- 21.35 To a W. Oak 24 in. dia. in the line,
 31.20 " " G. Oak 18 " " " "
 33.65 Set the gr. sur. cor. post from which
 a G. Oak 14 in. dia. bears N. 77 E. 53 ft. dist.,
 & a W. Oak 15 " " " S. 53 W. 65 " "
 41.13 To a G. Oak 12 " " in the line,
 42.49 " " W. Oak 10 " " " "
 73.65 To the section corner

South Between sections 7 & 8,

- 5.90 To a G. Oak 18 in. dia. in the line,
 40.00 Set the gr. sur. cor. post from which

T. 36 N. R. 1 W. 2nd. New, Ind.

- 61.50 G. Oak 22 in. dia. bears N 71 E 40 lks. dir,
 & a Do. 6 " " " N 66 W 44 " "
 48.76 To a Do. 30 " " in the line,
 58.88 " " W. Oak 36 " " " " "
 80.00 Set a post cor. to Secs. 7, 8, 17 & 18 from wh,
 a G. Oak 24 in. dia. bears S 34 W 41 lks. dir,
 & a Do. - " " " N 46 66 " "
 Land tolerably level sandy & B. rate &
 the timber is G. & W. Oak & Hickory, Red root &c

- West On Random between Sections 7 & 18,
 41.25 Leave the timber & Enter a mark
 47.45 To a Brook 4 lks. wide ex. S.W. pure water
 49.90 " " Creek 40 " " " " " deep & brk. current,
 52.70 Leave mark & Raise bluff 10 ft.,
 74.12 To the W. boundary, 17 lks. S. of post.
 Land E. $\frac{1}{2}$ rolling & Dry, & W $\frac{1}{2}$ same & the
 mark all 3rd rate, & the timber is G. & W. Oak,
 & Hickory, N. G. Red root brk. & grass -

- East Correct the line between Secs. 7 & 18,
 34.12 Set the gr. sec. cor post from which
 a G. Oak 20 in. dia. bears S 50 E 38 lks. dir,
 & a W. Oak 18 " " " N 28 W 30 " "
 74.12 To the Section corner,

- South Between Sections 17 & 18,
 15.16 To a W. Oak 12 in. dia. in the line
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 81 E 56 $\frac{1}{2}$ lks. dir,
 & a Do. 6 " " " N 57 W 47 " "
 52.71 To a Hickory 16 " " in the line,
 66.14 " " G. Oak 24 " " " " "

T. 36 N. R. 1 W. 2^d. New (Ind^a).

- 61.50 Leave the timbered land & enter marsh
 69.00
 80.00 Set a post cor. to Secs. 17, 18, 19 & 20,
 a W. Oak 12 in. dia. bears S 51 E 14.2 lbs. dia,
 no other nears. — Land N² is rolling
 & the timber is G. Oak, W. Oak, Hickory, & the
 S² some marsh. 3^d rate timber same &.

West On Random between sections 18 & 19

- 10.75 Leave marsh & enter timber
 17.50 Leave timber " " marsh
 29.00 To a bush 50 lbs. wide cor. S. E. rapid
 40.00 Set gr. sec. cor. post in marsh & no mound
 64.75 Leave the marsh & enter timber
 74.47 To the W. boundary, 14 lbs. S. of post
 Land 10 chs. W. end & the timber is G. & W. Oak,
 nearly all the rest marsh & under water
 & all third rate land

East Correct the line between sec. 18 & 19

- 34.47 Set the gr. sec. cor. post. No bearings
 74.47 To the sections corner,

South Between sections 19 & 20,

- 4.50 Leave marsh & enter timber
 8.34 To a W. Oak 15 in. dia. in the line,
 22.30 " " G. Oak 15 " " " "
 32.75 " " Do, 13 " " " "
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 6 in. dia. bears S. — S. dit.,
 & a W. Oak 6 " " " N 32 E 37 lbs. dia,
 48.73 To a G. Oak 24 " " in the line,
 63.93 " " Do, 24 " " " "
 80.00 Set a post cor. to Secs. 19, 20, 29 & 30,

T. 36 N. R. 1 W. 2^d Mer. Ind.

Co. L, a W. Oak 12 in. dia. bears S 44 E 39 1/4 mi. dist.
 & a G. Oak 10 " " " N 54 W 38 " "
 Land mostly dry level & 3^d rate & the
 timber is G. Oak, W. Oak & Red coat &c.

Met On Random between Secs. 19 & 30
 16.25 To a Creek 40 lbs. wide cor. S. rapid,
 74.83 To the W. boundary, 27 lbs. S. of post.
 Land is marsh & 3^d rate

East correct the line between Secs. 19 & 30
 34.83 Set the gr. sec. cor. post. no mound
 74.83 To the section corner,

South Between sections 29 & 30,
 17.61 To a Hickory 10 in. dia. in the line
 19.50 Leave timber & Enter a marsh
 38.79 To a Creek 75 lbs. wide cor. S. E.
 40.00 Set the gr. sec. cor. post. from which
~~40.00~~ 46 lbs. S. of creek. no mound
 80.00 Set a post cor. to Secs. 29, 30, 31 & 32
 a Red Oak 8 in. dia. bears N 68 W 2 1/4 mi. dist.
 & a W. Oak 10 " " " S 22 W 20 1/4 " "
 Land is nearly all marsh 3^d rate,

Met On Random between Secs. 30 & 31
 29.00 Leave marsh & Enter timber
 50.50 Leave timbered land & Enter marsh
 75.11 To the E line of sec. 31, 47 lbs. S. of post.
 Land is mostly -

East correct the line between sections 30 & 31
 85.11 Set the gr. sec. cor. post from which

344

T. 36 N. R. 1 W. 2nd Mer (Ind⁴)

6. Le. a Hickory 6 in. dia. bears S 71 W 48th dist,
 & a Do. 18 " " " N 3 W 40 " "
 95.11 To sec. corner,

South On Random between sections 31 & 32
 2.50 Enter timber
 39.00 Leave the Do.,
 78.90 To the South boundary, 2 chs. E. of post,
 Land all mark & third rate & the N¹/₂.
 is timbered with R & W Oak - R. Gum Boak &c.,
 North (1° 25' E.) Corred the line between sec 31 & 32
 38.90 Set the gr. recs. cor. post from which
 a Red Oak 18 in. dia. bears S 26 E 3th dist,
 & a Do. 22 " " " N 31 W 43 " "
 71.65 To a Bl. Gum 18 " " in the line,
 78.90 To the sections corner, June 2nd 1834,

South Between sections 4 & 5,
 15.25 Leave mark & Enter timber
 24.75 To a Q. Oak 16 in. dia. in the line,
 27.50 Leave timber & Enter mark
 40.00 Set the gr. recs. cor. post & raised mound
 48.00 Leave the mark & Enter timbered land,
 60.10 To a Hickory 10 in. dia. in the line,
 78.38 To a Q. Oak 10 " " " " "
 (80.00 Set a post cor. to sec. 4, 5, 8 & 9
 a Hickory 6 in. dia. bears East 7th dist,
 & a Do. 6 " " " N 80 W 27 " "
 Land N¹/₂ is past mark & some rolling
 & a number of good springs on, or near the
 line on both sides 3 rate & the timber
 is Q. Oak. W. Oak. & is land dry & sandy &
 rec² rate & the timber is R & W Oak Honey,

T. 36, N. H. 19, 2nd, Mer. Ind.

C. E. On $W\frac{1}{2}$ N. W. q., of sec. 4 a good light water power. stream called Sank creek 8 $\frac{1}{2}$ m. wide,

~~West~~ Our Random between sec. 5 & 8
 25.50 Leave timber & Enter Cranberry marsh
 34.00 Marsh impassible passed by offset, North 2.50 m. - West 6.00 - S. 250 to line,
 40.00 Set temporary $\frac{1}{4}$ sec. cor. over pond
 57.00 Leave marsh & Enter timber
 80.00 To the W. boundary, 4 m. S. of post
 Load part timber & part Cranberry marsh & pond. The remainder, timber 3rd rate. & Y & W. Oak, brakes &

East Correct the line between sec. 5 & 8
 40.00 Set the gr. sec. cor. post. in water,
 80.00 To the section's corner,

South Between sections 8 & 9
 1.24 To a Hickory 10 in. dia. in the line,
 2.62 " " W. Oak 22 " " " "
 16.92 " " Hickory 8 " " " "
 30.00 " " W. Oak 28 " " " "
 34.93 " " Y. Oak 24 " " " "
 40.00 Set the gr. sec. cor. post. from which
 a W. Oak 18 in. dia. bears N 25 $\frac{1}{2}$ E 61 m. 2 in.
 & a Y. Oak 6 " " " S 40 $\frac{1}{2}$ W 33 " "
 45.00 Entered a wind-fall on E. 2 years since
 55.00 Leave the wind-fall
 58.23 To a Y. Oak 28 in. dia. in the line,
 70.00 Leave the timber & Enter marsh
 80.00 Set post on. to sec. 8, 9, 16 & 17 Range mound

T. 36 N. R. 1 W. 2nd Mer. Ind.

6. L. Land. It is level & 2nd rate & it is rolling
some marsh sec. rate. G. W. Oak & Hickory,
Mud, gth, brakes & Red root, &

West Old Random between sections 8 & 14
15 To a Brook 2¹/₂ M. wide in. E. at W at 5 chs,
a good spring,
6.75 Leave the marsh & Enter timber,
79.86 To the W. line of sec, 3 M. S. of post
Land same marsh. E. end rolling 3rd
rate. & the timber is G. W. Oak & Hickory, & W. 3
Brakes & Red root & sandy soil,

East Correct the line between sections 8 & 14
6.50 To a G. Oak 18 in. dia. in the line,
21.15 " " Hickory 11 " " " "
32.92 " " G. Oak 16 " " " "
39.93 Set the gr. sec. cor. post from which
a W. Oak 7 in. dia. bears N 5 E 30 M. dist,
& a G. Oak 16 " " " N 27 E 22 " "
46.89 To a W. Oak 9 " " in the line,
71.15 To a G. Oak 8 " " " "
79.60 To the sections corner,

South Between sections 16 & 17
18.00 To the margin of Fish Lake N. side
Land nearly all marsh & 3rd rate,

North From cor. sec. 16. 17. 2 & 22. betw. sec. 16 & 17
5.00 Leave Tan. marsh & Enter W. Oak timber,
6.60 To a W. Oak 10 in. dia. in the line,
34.94 " " G. Oak 16 " " " "
29.35 " " W. Oak 16 " " " "

T. 36 N. R. 1 W. 2nd. Mev. Ind. a

C. S.

35.00

To Fish lake & set post on S. side,
Land mostly dry rolling & 3^d rate & the
timber is W. G. Oak & Tamarac, (June 3, 1834)

West Between sections 17 & 20,

9.33 To a Maple 6 in. dia. in the line,

15.75 To Fish lake, E. side,

Land all marsh 3^d rate. & the timber
is Birch, Tamarac, Maple, Alder & High bushes

East From section corner between sec. 17 & 20

1.50 Leave the marsh & enter timber

10.32 To a G. Oak 20 in. dia. in the line,

13.58 " " G. Oak 18 " " " " "

13.75 Leave timber & enter marsh. impassible
offset N. 8 chs, E. 16.25 chs, S. 8 chs, to line,

30.00 Over the marsh

30.26 To a G. Oak 20 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 6 E - 40.00 chs,
& a G. Oak 8 " " " S 8 W 31 " "

48.50 To Fish lake & set post on W. side of lake
Land is 2^d rate & the timber is G. W. Oak
& Hickory, & Breaks, & Red root &c

South Between sections 20 & 21

32.50 Leave Tamarac marsh & enter Oak,

40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears N 63 W 19 chs,
& a Do. 10 " " " S 19 E 32 "

46.67 To a G. Oak 27 " " in the line,

54.50 Leave timber & enter marsh

80.00 Set a post cor. to sec. 20, 21, 28 & 29

T. 36 N. R. 17 W. 2nd Mer. Ind.

6. L. Land, is marsh & bams & 3rd rate &
 the timber is Y. Oak & W. Oak Tamarac
 Maple Whortleberry &c.
 a Y. Oak 24 in. dia. bears 196 5.07 M.,
 no other tree near,

West Between sections 20 & 29
 11.50 To Fish Lake. Set post,
 all marsh 3rd rate,

East Between sections 20 & 29
 25.80 To a W. Oak 11 in. dia. in the via,
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 36 in. dia. bears 140 6 22 M. N. 43 W 47 "
 & a R. Oak 24 " " " " N 43 W 47 "
 45.00 To Fish Lake. Land, med. rate & the
 timber is W. Y. Oak & Hickory. Birches & Red maples

South Between sections 28 & 29
 33.00 Over impassible marsh, & pond
 which was paked by offset,
 40.00 Set the gr. sur. cor. post from which
 a Red Oak 18 in. dia. bears 113 6 62 M.,
 & a Do. 10 " " " " N 64 6 16 1/2 "
 44.00 To Sauk creek & little Hawkakee 40 M. wide on E,
 80.00 Set post in marsh. no mound, -
 Land all marsh & 3rd rate &c

West On Kandan between sections 29 & 32
 8.00 Leave marsh & Enter timber
 67.50 To Road from G. river to Laporte
 80.00 To the W. boundry. of sur. at post,
 Land mostly dry poor & sandy & 3rd rate

T. 36 N. R. 1 W. 2nd Mer. Ind.

C. L. & the timber W. Oak G. Oak R. Oak & Hickory

East Correct the line between sec. 29 & 32,
 8.04 Leave mark & Enter timber
~~67.50~~ To a road from Yellow River to Salter,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 14 in. dia. bears S 35 E 70 lks. dist
 & a Hickory 18 " " " N 76 W 31 " "
 52.24 To a G. Oak 10 " " in the line
 80.00 Set a post cor. to sec. 29. Sec. cor.,

South Over Random between sections 32 & 33

7.50 Leave the mark & Enter timber
 19.25 Enter marsh & pond, impassible,
 offset W. 8 chs., S 21. 75 - E. 8 chs. to line,
 38.00 Over marsh & pond
 48.00 To Yellow river road,
 79.07 To the E. line of sec. 176 lks. E. of post,
 Land sowed, mark on N. E. corner timber
 & 3^d rate. G. W. Oak Hickory & C. Redroot

N. 20th Correct the line between sec. 32 & 33

39.07 Set the gr. sec. cor. post from which
 a Hickory 14 in. dia. bears N 37 E 14 lks. dist
 & a W. Oak 20 " " " S 53 W 135 " "
 79.07 To the section corner (June 5th 1834)

South From Town line between sec. 34 & 4

9.07 To a Hickory 18 in. dia. in the line,
 14.00 Enter a Tanerai marsh
 19.56 To a Tanerai 6 in. dia. in the line
 23.25 To an impassible pond. Offset N 45 E 10 chs.,
 South 12 chs., N 45 W 8.50 lks. S 2 chs. N 45 W 150 lks.,

T. 36 N. R. 1 W. 2nd. New Ind^a,

C. L.

37.25 Over the pond

40.00 To a Lamerav 2 in dia. cor. tree from which
 a Lamerav 4 " " bears N 4 W 8 1/2 th. dist,
 & a Do. 4 " " " S 36 E 8 " "

75.00 Leave the marsh & Enter timber

76.90 To a Red Oak 24 in dia. in the line

80.00 Set a post cor. to sec. 3, 4, 9 & 10 —

a G. Oak 12 in dia. bears N 17 W 28 1/2 th. dist,
 & a Do. 6 " " " S 40 E 6 " "
 Land 3^d rate. Lam^e. G. & W. Oak & Hickory.

West On Random between sections 4 & 9

34.00 Leave timber & Enter marsh

45.50 To Sauck Creek 25 th. wide ex S. slow & deep

54.00 Leave marsh & Enter timber,

58.75 Enter marsh again

65.10 Leave it & Enter timber

80.00 To the W. boundary of sec. 25 th. N. of post,
 Land is mostly marsh, the dry part is
 rolling & the timber is G. Oak. W Oak &
 Hickory. Red root & breaks. 3^d rate & the
 marsh is under water.

East Correct the line between sec. 4 & 9

8.82 To a G. Oak 24 in dia. in the line,

14.79 " " Do. 22 " " " " "

40.00 Set the Dr. sec. cor. post in water,

80.00 To the Sections corner,

South Between sections 9 & 10

7.80 To a W. Oak 7 in dia. in the line,

17.50 " " Do. 30 " " " " "

26.65 " " Oak 22 " " (wind fall)

T. 36 N. R. 1 W. 2nd Mer. Ind. a)

61. L₁
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 4 in. dia. bears at 72 to 65 lbs. dia.,
 & a W. Oak 22 " " " S 50 W 58 " "
 42.00 Leave the timber & Enter a marsh
 45.00 Leave the wind fall
 80.00 Leave the marsh & Enter timber
 & Set post cor. to sec. 9, 10, 15 & 16, from which
 a W. Oak 7 in. dia. bears at 85 to 25 lbs. dia.,
 & a Scrub Oak 20 in. dia. " S 2 E 53 " "
 Land on at $\frac{1}{2}$ is level dry & sandy & 3rd rate
 & the timber is W. Oak G. Oak & Red wood,
 & the S. $\frac{1}{2}$ is all marsh & 3rd rate

- Met On Random between sec. 9 & 16
 18.00 Enter Timbered land
 32.00 " Marsh
 61.31 To a Creek 25 lbs. wide en. S.
 62.00 Leave marsh ascend ridge
 67.00 Descend & Enter a marsh.
 80.04 To the line of sec. 17 lbs. N. of post,
 Land nearly all marsh. grass & flags & the
 undergrowth. Turtles frogs! &c.

- East Correct the line between sec. 9 & 16
 40.02 Set the gr. sec. cor. post from which
 in. marsh & water no bearing near,
 80.04 To the section corner,

- South Between sections 15 & 16
 19.93 To a Hickory 9 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 40 in. dia. bears at 12 W 53 lbs. dia.,
 & a G. Oak 12 " " " S 44 W 90 " "

T. 36 N. R. 1 W. 2nd. New. Indi.^o

61. ~~64~~
 54. ~~58~~ To a Y. Oak 22 in. dia. in the line,
 55.00 " an impassible pond. offset W. 5 chs,
 South 10 chs, & East 5 chs. to line,
 65.00 Over the pond
 70.00 Leave timber & Enter marsh
 80.00 Set a post cor. to sec. 15, 16, 21 & 22
 a B. Oak 10 in. dia. bears S 14 E 143 th. dist,
 & a Do. 16 " " " N 81 E 181 " "
 Land level & 3rd rate. Y. & W. Oak &c.

- Next Between sections 16 & 21
 24.00 Leave the marsh & Enter timber
 30.68 To a Red Oak 18 in. dia. in the line,
 35.00 Leave the timber & Enter marsh,
 40.00 Set gr. sec. cor. post from which (no bearing)
 & no mound.
 44.50 Enter timbered land
 45.83 To a Y. Oak 16 in. dia. in the line,
 53.06 To a W. Oak 22 " " " " "
 59.58 " " Red Oak 12 " " " " "
 53.69 " " W. Oak 18 " " " " " swamp
 80.00 Set a post cor. to sec. 16, 17, 20 & 21,
 a Maple 6 in. dia. bears S 10 E 7 th. dist,
 & a Lam. 5 " " " N 10 W 11 " "
 Land E. & S is nearly all marsh & the W. & N.
 is part timber. W & Y Oak. Whistle & mountain, all
 third rate land (June 4 - 1834)

- South Between sections 21 & 22,
 2.00 Enter timbered land
 25.81 To a W. Oak 6 in. dia. in the line,
 40.00 Set the gr. sec. cor. post in water deep
 R. Oak 16 in. dia. bears S 30 E 238 th. dist,

T. 36 N. R. 1 W. 2nd Mer. Twp.

C. L.

41.50 Entered dry land

60.88 To a W. Oak 22 in. dia. in the line,

80.00 Set a post cor. to sec. 21. 22. 27 & 28,
an aspen 10 in. dia. bears S 83 E 39 1/2 W 1/2
& an aspen 8 " " " S 77 1/2 W 117 "Land N 1/2 wet land & timbered S 1/2 dry &
3rd rate. Gum & B. W. & Y. Oak & Red root,

West On Random between sec. 21 & 28,

13.20 Leave timber & Enter a marsh

80.00 To the W. boundy. of sec 5 th. N. of path
Land nearly all marsh & 3rd rate,

East Corred the line between sec. 21 & 28,40.00 Set the 2nd sec. cor. post & Rain mound,

80.00 To the sections corner,

South Between sections 27 & 28, in edge of marsh

20.00 Entered a G. Oak grove,

27.00 Leave the " Do,

40.00 Set the gr. sec. cor. post & Rain mound

63.50 To a pond & Creek little Kankakee S.E.

70.00 Over creek by offset

80.00 Set post in a creek 25 th. in water. corner of
sections 27. 28. 33 & 34. Land is marsh
mostly under water & 3rd rate, June 6th 1834

West On Random between sections 28 & 33

31.00 Leave the marsh & Enter timber

70.75 Enter marsh

80.02 To the W. boundy. of sec. 11 th. N. of path
Land is mostly marsh & third rate &
the timber. is G. W. Oak Hickory, Red root &

T. 36 N. R. 1 W. 2nd. New Ind.

C. L.

- East Correct the line between sections 28 & 33
 18.83 To a W. Oak 30 in. dia. in the line,
 40.01 Set the gr. sur. cor. post from which
 a Y. Oak 20 in. dia. bears N 6 $\frac{1}{2}$ W 76 1/2 in.
 & a W. Oak 18 " " " S 33 $\frac{1}{2}$ W 52 " "
 47.62 To a W. Oak 24 " " in the line,
 80.02 To the sections corner,

South Between sections 33 & 34

- 2.10 Over creek, by trigonometry
 26.37 To a Red Oak 9 in. dia. in the line,
 39.09 " " " Do. 28 " " " "
 40.00 Set the gr. sur. cor. post from which
 a Red Oak 28 in. dia. bears North 91 1/2 in. dist.
 & a Do. 6 " " " S 53 $\frac{1}{2}$ E 23 " "
 42.00 Enter grove
 52.68 To a Hickory 12 in. dia. in the line,
 60.78 " " W. Oak 18 " " " " "
 78.00 " Mud Lake, set post & raise a mound
 on margin of Do. & Kankakee river.
 Land tolerably dry at present level & 3 rods
 & the timber on S. end. W. Oak Hickory Yock & Red

South Between sections 28 & 33, from Town line

- 2.00 Leave mark & Enter timber
 18.98 To a Red Oak 12 in. dia. in the line,
 30.00 Leave the timber & Enter a marsh,
 40.00 Set the gr. sur. cor. post from which
 a Red Oak 30 in. dia. bears N 33 W 76 1/2 in.
 & a Hickory 5 " " " S 8 $\frac{1}{2}$ W 70 in. dist.
 & Enter timbered land
 47.00 To a Red Oak 20 in. dia. in the line,
 50.00 Enter a marsh.

T. 36 N. R. 1 W. 2nd. New. Ind.

Co. L.

80.00

Set a post cor. to Secs. 2, 3, 10 & 11 -
 & where raised a mound
 Land level & 3rd rate & mostly marsh
 & the timber is Oaks & Hickory &c.
 note. There was an error in S. $\frac{1}{2}$ of this line
 which was corrected by removing post 5 chs.
 South & where raise a mound

West

14.00

On Random between sections 3 & 10
 Leave the marsh & enter timber

63.00

Enter marsh

74.50

Leave Do,

80.00

To the W. boundy. of sec. 5 ths. N. of post.
 Land is level mostly dry & 3rd rate & the
 timber is R. W & Y. Oak scattering,

East

29.64

Correct the line between Secs. 3 & 10
 To a W. Oak 16 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which
 a Hickory 8 in. dia. bears S 62 W 39 chs. dia.
 & a W. Oak 20 " " " N 68 E 146 " "

80.00

To the sections corner,

South

Between sections 10 & 11

40.00

Set the gr. sec. cor. post too wit
 to raise a mound

60.75

Leave the marsh

80.00

Set a post cor. to Secs. 10, 11, 14 & 15 -
 a Y. Oak 12 in. dia. bears S 82 E 24 chs.
 & a W. Oak 24 " " " N 61 W 28 "
 Land, N $\frac{1}{2}$ is all marsh, & the S $\frac{1}{2}$ is
 same timber, level poor 3rd rate Oak &c

T. 36 N. R. 1 W. 2nd. Mer. Ind.^a

C. S.
 West On Random between sections 10 & 15
 11.50 Entered a marsh
 52.50 Leave the Dr.
 80.08 To the W. boundary, 24 th. S. of post,
 Land on E. $\frac{1}{2}$ is nearly all marsh,
 water deep & the W. $\frac{1}{2}$ is wet & heavy timber,
 & all 3rd rate. W. Red Oak, Hickory, Ash
 Yellow Oak, Sassafras & Alder &c

East Correct the line between Secs. 10 & 15
 13.93 To an Elm 12 in. dia. in the line,
 19.88 " a Hickory 16 " " " "
 23.75 " an Elm 10 " " " "
 40.04 Set the gr. sec. cor. post from which
 in water & raise no mound
 80.08 To the sections corner,

South Between sections 14 & 15
 .75 To a Y. Oak 18 in. dia. in the line,
 14.57 " " Dr. 24 " " " "
 17.50 Leave timber & Entered marsh
 40.00 Set the gr. sec. cor. post in water
 80.00 Set post cor. to Secs. 14, 15, 22 & 23,
 & Raise a mound,
 Land 14 chs. N. end. timbered. Rem^r,
 is marsh & 3rd rate & W. & Y. Oak &c

West On Random between sections 22 & 15
 27.50 Leave marsh & Entered
 80.00 To the W. boundary, of Secs. 25 th. S. of
 post. E. $\frac{1}{2}$ of this land is nearly all
 marsh, & the W. $\frac{1}{2}$ is all timbered land
 & third rate. W. & Y. Oak, Hickory & Gum,

T. 36 N. R. 1 W. 2nd Mer. Ind.^c

Co. S,
 East Correct the line between sections 15 & 22
 8.80 To a Y. Oak 15 in dia. in the line,
 19.40 " " W. Oak 24 " " " "
 29.24 " " Y. Oak 16 " " " "
 40.00 Set the q. res. cor. post from which
 a Y. Oak 22 in dia. bears East 10 M. Dist.
 & a Do. 20 " " " S 13 W 19 " "
 80.00 To the sections corner,

 East Between sections 14 & 23

11.00 Set post in water, on Right bank of
 Hankakee river. Wet prairie 3rd rate land

 South Between sections 22 & 23

15.00 To Right bank of Hankakee river set post,
 42.50 Over a head of Do. Set post on R. bank
 80.00 Set post cor. to sec. 22, 23, 26 & 27.
 no bearings taken. nor mound raised,
 Land wet prairie & marsh 3rd rate

 West On Random between sec. 22 & 27

80.00 Set post on W. boundary.
 Land mostly marsh & under water

 East Correct the line between sec. 22 & 27

40.00 Set the q. res. cor. in deep water
 80.00 To the sections corner,

 East Between sections 23 & 26

22.00 To Right bank of Hankakee river
 Land all marsh & 3rd rate,

 South Between sections 26 & 27,

T. 36 N. R. 1 W. 2nd. New, Ind.^a

6. L,
 40.00 Set the 2^d. sec. cor., post from wh.,
 a Red Oak 9 in. dia., bearing S 75 E 1 3/4 M. dia.,
 & a Do. 30 " " " N 21 W 1 7/9 " "
 80.00 Set a post cor. to sec., 26, 27, 34 & 35,
 a Hickory 12 in. dia., bearing N 80 W 3 1/4 M.,
 & a G. Oak 20 " " " East 700 "
 Land is level wet & third rate & the
 timber is Red Oak & scattering willows & plenty.

- West On Random between sec. 27 & 34
 8.95 To a W. Oak 15 in. dia., in the line,
 10.00 Leave the timber & Enter marsh
 80.00 Set a post cor. to sec., 27 & 34 W. boundary
 of sec. End land some timber
 W & R. Oak. Rem^r marsh under water 3rd rate,

- East Correct the line between sec. 27 & 34
 40.00 Set the gr. sec. cor. post in water,
 80.00 To the section corner,

- East Between sections 26 & 35
 6.00 Leave the marsh & Enter grove
 7.00 To a G. Oak 20 in. dia., in the line
 15.00 Leave grove & Enter marsh
 24.50 To Right bank of Kankakee river,
 & set post in water,
 Land ex. grove is marsh & under
 water. Timber W & R. Oak & all 3rd rate,

- South Between sections 34 & 35
 10.00 Leave marsh & Enter grove
 24.14 To a Red Oak 14 in. dia., in the line,
 26.50 Leave grove & Enter marsh,

T. 36 N. R. 1 W. 2nd. Mead, Ind.?

6. L.
 40.00 Set the gr. sec. cor. post in marsh
 too wet to raise a mound
 71.50 To mud Lake & set post betw. sec. 34
 & 35, in water & no mound
 Land, except grove wet marsh & in
 grove B. Oak Hickory & W. Oak 3rd rate

South Between sections 1 & 2

- 40.00 Set the gr. sec. cor. post from wh.,
 a B. Oak 6 in. dia. bears S 2 W 3 16 lbs.,
 & a - no other,
 70.00 Entered a grove
 80.00 Set a post cor. to sec. 1, 2, 11 & 12
 a W. Oak 11 in. dia. bears S 48 E 5 lbs.,
 & a Do. 10 " " " S 44 W 11 " dia.,
 Land all marsh ex. 10 chs., & the
 S. end is mostly under water, 3rd rate
 & the timber is W. Oak G. Oak & -

West On Random between sec. 2 & 11

- 7.50 Entered a marsh
 79.93 To the E. line of sec. 34 lbs. S. of post,
 S. 7 chs. of E. end timbered. Rem^r is
 all marsh & 3rd rate & the timber is
 W. Oak, G. Oak, Willow & -

East Correct the line between sec. 2 & 11

- 39.96 $\frac{1}{2}$ Set the gr. sec. cor. post in water
 no mound -
 79.93 To the section corner,

East On Random between sections 1 & 12

- 4.00 Leave grove & enter a marsh.

T. 36 N. R. 1 W. 2nd New. Ind.^a

C. L.

22.50 Leave the marsh & Enter grove

60.00 Leave grove & Enter marsh

79.75 To the East line of sec. 15 W. S. of post
 Land is level & 3^d rate & some marsh
 & some timber W. Oak & Gum & Lamerac,

West Correct the line between sec. 11 & 12,
 39.87 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 a W. Oak 30 in. dia. bears S 58° W 64 $\frac{1}{2}$ W.,
 & a Do. 24 " " " N 73° E 88 $\frac{1}{2}$ " W.,
 54.16 To a W. Oak 24 " " in the line,
 79.75 To the sections corner,

South Between sections 11 & 12

6.90 To a W. Oak 14 in. dia. in the line,
 9.43 " " W. Oak 16 " " " " "
 17.61 " " Red Oak 22 " " " " "
 33.06 " " " Do. 20 " " " " "
 40.00 Set a gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 60° E 71 W. in. W.,
 & a Do. 7 " " " S 2° 30' W 33 $\frac{1}{2}$ "
 44.50 Leave timber & Enter marsh,
 80.00 Set a post cor. to sec. 11, 12, 13 & 14,
 where raised a mound.
 Land is nearly all marsh & 3^d rate & the
 N $\frac{1}{2}$ timber, Red Oak. G. W. & B. Oak. Hickory
 Maple. B. Gum, Sycamore & Elm &

West On Random between sec. 11 & 14

28.50 Leave marsh & Enter dry timber

79.80 To the C. line of sec. 43 W. S. of post,
 Land on C $\frac{1}{2}$ is marsh & 3^d rate & the
 W $\frac{1}{2}$ is dry, & thick heavy tall timber & 2^d rate

T. 36 N. R. 1 W. 2nd Mer. Ind.

Co. L. W. G. Oak & Hickory &c. & the mud, &c.,
is Sapagrap, broken red root &c.

East Corrupt the line between sec. 11 & 14
9.78 To a W. Oak 15 in. dia. in the line,
31.61 " " Do. 10 " " " "
27.01 " " Do. 12 " " " "
39.90 Set the gr. sec. cor. post from which
a W. Oak 16 in. dia. bears S 63° W 14 $\frac{1}{2}$ M. dist.,
to Do. 10 " " " N 75° E 61 " "
42.67 To a W. Oak 24 " " in the line,
79.80 To the section's corner,

East Between sections 13 & 13
32.75 To right bank of Kankakee river,
no bearings - but raised a mound
Land is all marsh & 3^d rate,

South Between sections 13 & 14
30.00 To the right bank of the Kankakee river
where raised a mound
Land same as last - marsh &c.

North Between sections 13 & 14
38.50 To the left bank of Kankakee river,
Land under water flags & mallards,

North Between sections 35 & 36,
3.00 Leave the marsh & enter timber
17.50 To Pine creek 1 ch. wide on N.W.
18.77 Over creek
40.00 Set a gr. sec. cor. post from which
a W. Oak 14 in. dia. bears S 34° E 54 M. dist.,

T. 36 N. R. 1 W. 3rd Mer. Ind. 2

E. Le. To a W. Oak 22 in. dia., bears at 59° W 4th,
 66.14 To a Red Oak 7 " " in the line,
 80.00 Set a post cor. to sec. 25, 26, 35 & 36.
 a W. Oak 12 in. dia., bears at 85½° E 280th,
 no other tree near
 Land some rolling part dry & part
 marsh & 3rd rate & the timber is G. Oak & L.

East On Random between sections 25 & 36
 80.04 To the East Boundary, 29th M. S. of post,
 Land dry ex. small marshes & the
 timber is G. W. Oak & Hickory, some rolling
 sandy & third rate,

West Correct the line between sec. 25 & 36
 34.84 To a Red Oak 9 in. dia., in the line,
 40.02 Set the gr. sec. cor. post from which
 a G. Oak 24 in. dia. bears at 73° E 15th,
 & a W. Oak 15 " " " at 27° E 27 " dit,
 80.04 To the section corner,

West Between sections 26 & 35
 23.00 Leave timber & enter marsh
 40.00 Set the gr. sec. cor. post in marsh & water
 on Left bank of Kankakee river,
 Land part dry rolling & third rate
 & the timber is G. Oak & W. Oak & L.

North Between sections 25 & 26.
 33.43 To a Hickory 8 in. dia., in the line,
 40.00 Set a gr. sec. cor. post from which
 a Hickory 6 in. dia., bears at 76° E 54th M. S. dit,
 & a G. Oak 18 " " " at 87° W 24 " "

T. 36 N. R. 1 W. 2nd Mer. Ind.

C. S.
 50.50 Leave timber & Enter a mark
 80.00 Set a post cor. to sec. 23, 24, 25 & 26,
 too wet. to raise a mound,
 On $\frac{1}{2}$ of land timber dry. It is mostly
 marsh & 3rd rate, & the timber is Hickory &
 W. Oak. G Oak. Red root &c. on S. side,

East On Random between sections 24 & 25
 49.50 Leave the mark & Enter timber
 79.96 To the E. boundary of Town, 35 M. S.,
 of post. Land W $\frac{1}{2}$ is all marsh &
 water. E $\frac{1}{2}$ is mostly timber. dry & 3rd rate
 & the timber is G. Oak. W. Oak & Hickory &c,

West Correct the line between Secs. 24 & 25
 39.98 Set the q. sec. cor. post in water,
 79.96 To the sections corner,

West Between sections 23 & 26,
 40.00 Set the q. sec. cor. post in water,
 52.50 To Left bank of Kankakee river,
 water deep. between sec. 23 & 26,
 Land is all marsh mostly under water

North Between sections 23 & 24
 40.00 Set the q. sec. cor. post in water,
 47.00 Leave mark & Enter timber
 64.18 To a W. Oak 18 in dia. in the line,
 68.00 Leave the timber
 80.00 Set a post cor. to sec. 13, 14, 23 & 24
 no mound - post in water,
 Land - S $\frac{1}{2}$ marsh & under water
 N $\frac{1}{2}$ 22 ch. of it timber, wet land

T. 36 N. R. 1 W. 2nd New, Ind.^a

U. L. The balland of marsh under water,
 & all this side, & the timber is G. Oak,
 Red Oak. W. Oak. Hickory Maple Gum with ~~others~~

East On Random between Secs. 13 & 24

18.00 Leave marsh & Enter timber
 80.00 To the E. line of sec. 32 th. N. of post,
 Land 18 chs. west end marsh under water
 Remained dry level & sandy 3^d rate & the
 timber is G. & W. Oak & Hickory. Brakes, &c,

West Correct the line between Secs. 13 & 24

19.05 To a W. Oak 18 in. dia. in the line,
 33.58 " " G. Oak 22 " " " "
 40.00 Set the gr. sections cor. post from wh,
 a W. Oak 16 in. dia. bears S 10 $\frac{1}{2}$ W 30 th. dia,
 & a W. Oak 22 " " " N 31 E 31 " "
 49.50 To a Bl. Gum 14 in. dia. in the line,
 50.00 " " G. Oak 11 " " " "
 80.00 To the sections corner,

West Between sections 14 & 23,

40.00 Set the gr. sec. cor. post. no mound
 60.00 To the Left bank of Hawkakee. (= 3 ft.
 no mound & all marsh. under water =

North Between sections 13 & 14

38.50 To Hawkakee. & set post on Left bank,
 no mound, Land under water,
 Flays & willows &c. (June 17th 1834,)

West Between sections 12 & 13

37.00 To Left bank of Hawkakee river. Land marsh 3^d rate,

T. 36 N. R. 1 W. 2nd Mer. Ind.^a

Meanders of Cranberry Lake in sec. 8.	
Beginning at 1/4 sec. cor. post between sec.	
Course to L.	5 & 8
East 6.00	In sec. 8,
S 20° W 16.00	
S 10° E 9.00	The lake is shallow & past
S 32° W 14.50	cranberry mark,
S 83° W 14.00	
N 46° W 12.50	
N 38° E 5.50	
N 17° E 8.00	
N 45° E 15.00	
N 62° E 13.82	To place of beginning

Meanders of Fish Lake. Begins	
at post between sec. 16 & 17	
at 9 ch. in lot 25 th , wide & deep	
called Sunk creek	
S 63° E 25.00	
S 28° E 20.00	
S 34° W 13.00	
S 52° E 15.00	
S 32° W 10.00	
N 78° W 17.00	
N 19° W 7.50	
N 36° E 13.50	
N 48° W 6.00	
N 86° W 6.50	
N 62° W 10.00	To line between sec. 16 & 17,
S 68° W 5.50	In sec. 17
S 43° W 15.00	
S 8° W 6.50	
S 1° E 15.84	To line between sec. 17 & 20 E. side

T. 36 N. R. 1 W. 2nd New, Ind.^a

Comm. C. L.	Meandering Continued
S 3 E 16.00	In sec. 20
S 25 E 24.00	
S 9 E 26.50	
S 34 1/2 W 19.37	To post between sec. 20 & 29
S 8 W 30.00	In sec. 29
S 10 W 7.50	
West 2.00	over Lanch creek 1 ch. wide, deep
N 38 W 15.50	
N 69 W 10.00	
North 15.00	
N 18 E 6.68	To line between sections 20 & 29
N 15 E 8.00	In sec. 20 again
N 65 E 20.00	
N 13 E 6.00	
N 44 W 12.00	
N 11 1/2 W 14.00	
N 72 W 12.00	
N 16 W 16.50	
N 22 E 5.00	
N 15 E 7.00	
N 49 E 7.32	To line between sec. 17 & 20,
N 43 E 8.00	at 50 lks, an excellent spring
N 26 E 15.00	pure water, in sec. 17.
N 35 W 17.00	
N 29 E 9.00	
N 43 E 20.00	at 10 ch. 4 lks. a good spring
N 64 E 12.00	To place of beginning

T. 36 N. R. 1 W. 2nd New. Ind^a.Meanders of ^{by} Hawkake river,

Begin at post on E. side. Left bank.

Course E. S. In sec. 12. Down stream

N19W 3.50

N84W 5.00

N12W 4.00

N10E 5.00

S73W 6.00

S14E 17.50

S60W 5.00

N56W 6.00

N87W 7.00

N4W 6.50

S60W 4.00

S12W 6.00

S43W 6.50

S33E 16.00

S58W 6.50

N70W 10.50

S64W 7.00

S44E 16.35

To line between sec. 12 & 13,

S12W 13.00

In sec. 13,

S86W 11.50

S57W 6.50

West 5.00

S22E 10.00

S42W 5.00

S3E 4.00

S29W 5.00

N85W 8.50

S67W 9.43

To the line of sec. 13 & 14

T. 36 N. R. 1 W. 2nd Mer. Ind.^o

Conne C. L.

Meanders of Kankakee river
In sec. 14. Continued.

N 84° W 3.50

N 40° W 4.00

S 53° W 5.50

N 59° W 4.00

N 9° W 4.00

S 58° W 5.00

S 16° W 6.50

S 35° W 11.00

S 6° W 2.50

S 65° W 4.00

S 30° W 6.50

N 72° W 6.00

N 42° W 4.00

S 60° W 6.00

S 29° E 5.00

S 71° E 6.50

S 11° W 8.50

S 67° W 4.00

S 4° E 6.00

S 76° W 5.00

N 73° W 5.00

S 74° W 6.30

To line between sec. 14 & 23

S 40° W 4.00

S 2° E 5.50

S 47° W 4.00

S 31° W 11.50

S 84° E 9.00

S 35° E 5.00

S 2° E 11.00

West 5.00

S 11° W 9.00

In sec. 23,

T. 36 N. R. 1 W. 2nd Mer. Ind.

Comm. C. L.

Meanders continued,

S15E 10.50

In sec. 23,

S63E 11.00

S19W 12.00

S45E 7.50

S12 $\frac{1}{4}$ W 3.50

To line between sec 23 & 26

S54E 9.00

In sec. 26,

S39E 6.00

S14W 4.00

S33W 20.00

S51W 11.50

S36E 7.00

East 7.00

N49E 2.00

S80E 7.00

S20E 8.50

S16W 7.50

S35E 7.50

S8E 4.50

S25 $\frac{1}{4}$ W 11.50

To line between sec. 26 & 35

S43E 6.00

In sec. 35

S33W 12.50

S80W 7.00

South 15.00

S30W 8.00

S75W 4.00

N85W 5.00

S23W 6.50

S83E 18.00

N64E 4.00

S75E 1.50

To creek R. bank
over creek

T. 36 N. R. 1 W. 2nd Mer. Ind.^a

Course C. L. Meander continued,
In sec. 35

S 49 E 8.00

S 15 E 8.00

S 23 W 4.00

S 86 W 10.00

S 50 W 14.00

S 65 3/4 W 14.39

To S. side of sec. 35,

N 72 W 11.50

N 77 W 14.00

N 18 E 8.00

N 76 W 6.50

N 19 W 6.00

N 30 W 11.00

N 33 W 10.00

South 6.50

S 85 W 5.50

S 52 W 9.00

S 54 W 3.50

S 54 E 8.00

S 5 E 10.00

S 67 E 6.00

S 18 E 8.50

N 55 W 13.00

S 39 W 4.00

N 44 W 4.00

S 25 W 7.00

S 4 E 7.00

S 52 E 3.00

S 19 3/4 E 8.50

S

Right bank & down stream.

In sec 12. Begin at mound

S 82 E 5.50

In sec. 13

To line between sections 12 & 13

371

T. 36 N. R. 1 W. 2nd Mer. Ind.

Comm C. L.

Meaders continued,
In sec. 13,

S15W 7.50

N75W 7.00

S82W 10.00

S15W 4.00

S41W 4.00

S3W 5.50

N77W 8.00

S5W 6.50

S35W 3.00

S62W 6.22

To line between sec. 13 & 14

S35W 5.00

In sec 14

N70W 2.00

N13E 8.00

N78W 9.50

S2E 8.00

S62E 3.50

N25W 10.50

S76W 6.50

S22W 10.00

S78W 10.50

S11E 6.00

S75W 4.50

S17W 4.50

N60W 8.00

S57W 10.00

S19E 8.00

S76E 5.00

S21E 5.00

N83W 10.50

S45W 2.00

S30E 5.00

T. 36 N. R. 1 W. 2nd Mer. Ind^a

Course b. L.	Meanders Continued,
S 53 W 6.50	
S 26 3/4 W 8.73	To line between Sec 14 & 23
S 36 1/2 W 18.50	In sec 23, - To line between 22 & 23,
S 68 W 3.00	In sec. 22,
S 15 E 4.50	
S 20 W 7.50	
S 86 E 4.50	
East 7.50	
S 45 W 15.50	
S 35 E 4.60	To line between sec. 22 & 23
S 37 E 10.00	In sec. 23
S 13 W 5.00	
S 37 E 4.50	
S 56 W 4.50	
S 42 E 4.00	
S 75 E 10.00	
S 35 W 8.50	
S 42 E 4.00	
S 66 E 4.00	
S 73 1/2 E 4.50	To line between sec. 23 & 26
South 4.00	In sec. 26
S 82 E 7.00	
S 10 E 12.00	
S 40 W 9.00	
N 76 W 7.50	
South 4.00	
S 72 W 8.00	
S 1 W 15.00	

T. 36 N. R. 1 W. 2nd Mer. Ind.^a

Course C. L. Meanders Continued,

N 89 E 4.00

S 22 E 5.00

N 83 E 3.50

S 15 E 18.00

S 27 W 6.00

S 13 E 8.00

S 53 E 1.59

To line between Secs. 26 & 35

S 27 E 8.00

In sec. 35

S 57 W 11.00

S 20 E 16.50

S 3 W 3.50

S 35 W 5.00

N 64 W 9.00

S 65 W 6.50

S 11 W 10.00

S 44 E 16.00

S 23 E 6.00

S 64 W 5.00

S 52 W 5.00

S 26 W 5.00

West 8.69

To line between Secs. 34 & 35

N 83 W 17.50

In sec. 34

N 43 W 18.50

N 27 W 20.00

West 15.00

N 22 E 3.00

West 5.00

S 18 W 20.00

S 40 W 10.00

S 29 1/2 W 17.78

To line between Secs. 33 & 34

T. 36 N. R. 1 W. 2nd Mer. Ind^d

Comm C. L.
 N67W 25.00
 N31W 10.00
 West 11.00
 N33W 6.00
 N64E 10.00
 N29W 6.00
 N2E 14.00
 N9E 7.50
 N33W 6.00
 S83W 5.00
 S25W 9.00
 S21E 7.50
 S16W 11.50
 S77W 8.00
 N53W 11.50
 North 10.00
 N45W 10.00
 N75W 14.50
 S30W 9.00
 S10E 5.00
 S60E 7.00
 S32E 19.00
 N67E 9.00
 S86E 10.00
 S20E 12.50
 S60E 8.00
 S10W 9.50
 S59½W 7.89

Meanders Continued,
 In sec. 33

To left bank of Hankakee river
 over to Right bank of Do,

To post in mound in Right
 bank of Hankakee river on the
 S. side of sec 33 - Town line
 June 21 - 1834 —

T. 36 N. R. 1 W. 2nd Mer. Ind^a

This township does not embrace any 1st rate land for agricultural purposes & but little sec. rate: The dry land is generally rolling - thin sandy soil & the timber is rather short & scattering, except in groves in the marsh, where the timber is tall & thick & of good quality.

Some part of the marsh & prairie is well adapted to grazing & stock farming purposes but the greater portion is under water but from the general appearance of the marsh & water courses, I am induced to believe the water is receding & it may soon come to be very valuable. It produces at the present time an abundant growth of grass for grazing & hay.

The Kankakee river, presents the appearance of ponds, lakes &c. rather than running streams & are inaccessibles in almost every place; In many places near the lakes & streams, the marsh will shake for acres together, with a man stepping over them in the most careful manner

I hereby certify that in pursuance of a contract with Micajah L. Williams Sur. Genl. of the United States for the states of Ohio, Indiana & the Terr. of Michigan, dated 19th day of May 1834. And in strict conformity to the laws of the United States & the instructions of said Surveyor General, I have surveyed & subdivided into

T. 36 N. R. 1 W. 2^d Mer. Ind^a.

Sections, Township 36 North of Range
1 West of 2^d Meridian in the state
of Indiana. And I do further cer-
tify that the foregoing are the true &
original field notes of said survey
& subdivision, executed as aforesaid

Certified this 21st day of June 1834

William Clark. Dep. Sur.

John Wood. Chain man.

Abner Cheesman. Do. Do.

William Jones Marker,

I certify that the foregoing trans-
cript of field notes of Town. 36 N.
Range 1 West 2^d Mer. Indiana, has
been compared with the original in
this office & found to be correct.

W. D. Q. Jones Sur. Genl.
Surveyor General's office,
Cincinnati. 3^d March 1842. 3